
	•			TION SECRET/S			DN	Tld ?	
		•		TRAL INTELLI					
	· · · ·		INFO	RMATIO	N RE	PORT	CD NO.		
^	CUNTON	. C 7							
C	OUNTRY	Czechoslov	rakia .				DATE DIS	TR. 25	O ct 52
S	UBJECT	Bozi Dar M	lilitary Airp	ort near "i	lovice		NO. OF P	AGES	1
	LACE CQUIREI						NO. OF E		2
							(LISTED BELO)W)	
	ATE CQUIRE	D					SUPPLEM REPORT I	ENT TO	50X1
DA	TE OF I	NE					KEI OKI I	v O.	
		111.							
	THIS DOCUMENT THE UNITED AND 794, OF 1 LATION OF 1TS PROHIBITED SY	CONTAINS INFORMATION STATES, WITHIN THE ME HE U.S. CODE, AS AMENICONTENTS TO OR RECEIL LAW. THE REPRODUCTION	PT BY AN UNAUTHORIZED	L DEFEMBE TIONS 703 OR REVE- PERSON IS HIBITEO.		THIS IS UN	NEVALUATED	INFORM	ATICN50X1
	1.		ar military a Dhical locati Sure (B): Sk					east of orth lat	Milovice.
	_								
	2.	CIIMALE WAS	ing winds ar mild with n	ormal rainfa	all; the	airport w	as 200 m a	bove sea	The level50X
		Runway cons in the dire Military Ai toward the	ing winds are mild with no truction begotion shown rport near M northwest.	an in 1948. on the sketo ilovice Landings wer	Before ch /See:	that time Enclosur mes made	landings e (A): Ske ie the land in the oppo	bove sea usually etch of dings we osite di	The level50X were made Bozi Dar re mainly rection,
	3.	Runway cons in the dire Military Ai toward the toward the time No flight of except for a near Cesky distance of	truction beg ction shown rport near M northwest.	an in 1948. on the sketch ilovice Landings were Neither take sted within the lines and ransmitting ly 20 km sou	Before the See: re sometified of the Lib tower wath of the	that time Enclosur mes made r approac to twenty lice radi	landings e (A): Ske ie the land in the oppo h runways w There was n km radius of	usually etch of dings we osite di were mar no contr	The level50X were made Bozi Dar re mainly rection, ked at the of tow50X ield, allation
	3. 4.	Runway cons in the dire Military Ai toward the toward the time No flight of except for an except for the airport brought in equipment (truction beg ction shown rport near M northwest. southwest. bstacles exi- communication Brod. The trapproximate.	an in 1948. on the sketch ilovice Landings were Neither tale sted within and lines and ransmitting ly 20 km sound Stare Ben but was not as was no aux	Before ch /See: re someti ke-off no a five t i the Lib tower wa th of th latky. equipmen yet in iliary e	that time Enclosur Enclosur The made or approac to twenty lice radius 250 m ine airport t; flight use	landings e (A): Ske ie the lane in the oppo h runways w There was n km radius (o transmitte n height ar . Access t	usually etch of dings we so control the feer instead lay a control the feet lay a control t	The level50X were made Bozi Dar re mainly rection, ked at the ol tow50X ield, allation tailed was 50X was ad teletypons; nor
	3. 4.	Runway cons in the dire Military Ai toward the toward the time No flight of except for enear Cesky I distance of by road from the airport brought in equipment (I was there Affine The airport was there Affine The airport brought in equipment (I was there Affine I was there Affine I was the sequence of the airport brought in equipment (I was there Affine I was the sequence of the airport brought in equipment (I was the sequence of the airport brought in equipment (I was the sequence of the airport the airport brought in equipment (I was the sequence of the airport	truction beg ction shown rport near M northwest. southwest. bstacles exi- communication Brod. The trapproximate m Milovice and did not have	an in 1948. on the sketch ilovice Landings were Neither talk sted within the lines and ransmitting ly 20 km sound Stare Bender to but was not see was no auxilght flight	Before the See: re sometime of no a five the Lib tower waith of the latky. equipmen yet in the lib atky eand rada:	that time Enclosur mes made or approac to twenty lice radi as 250 m i ae airport t; flight use quipment i r equipment	landings e (A): Ske ie the land in the opposite h runways w There was n km radius of transmitt n height ar . Access t control equation The ai for flight nt.	usually etch of dings we observe mar no control the feer instand lay a control the feet insta	The level50X were made Bozi Dar re mainly rection, ked at the ol tow50X ield, allation taileld was 50X was ad teletypons; nor 50X
	3. 4.	Runway cons in the dire Military Ai toward the toward the time No flight of except for enear Cesky I distance of by road from The airport brought in equipment (I was there Af The airport	truction beg ction shown rport near M northwest. southwest. bstacles exi- communication Brod. The trapproximate, m Milovice and did not have	an in 1948. on the sketch ilovice Landings were Neither takes sted within the lines and ransmitting ly 20 km sound Stare Bender Stare Bender was no aux light flight works. Gaso	Before ch /See: re sometime off no a five the Lib tower wanth of the latky. equipmen yet in a ciliary eand rada: line and	that time Enclosur mes made or approac to twenty lice radi as 250 m in a airport t; flight use quipment r equipment oil were	landings e (A): Ske ie the land in the opposite h runways w There was n km radius of transmitt n height ar . Access t control equation The ai for flight nt.	usually etch of dings we observe mar no control the feer instand lay a control the feet insta	The level50X were made Bozi Dar re mainly rection, ked at the ol tow50X ield, allation talield was 50X was ad teletypons; nor 50X
	3. 4. 5.	Runway cons in the dire Military Ai toward the toward the time No flight of except for enear Cesky I distance of by road from The airport brought in equipment (I was there Af The airport	truction beg ction shown rport near M northwest. southwest bstacles exicommunication Brod. The trapproximate m Milovice andid not have 1946). There AA guns or night and a waterw	an in 1948. on the sketch ilovice Landings were in us	Before ch /See: re sometime of no a five to the Lib tower wanth of the latky. equipmen yet in ciliary eand rada: line and e on the	that time Enclosur mes made or approac to twenty lice radi as 250 m in a airport t; flight use quipment r equipment oil were	landings e (A): Ske ie the land in the opposite h runways w There was n km radius of transmitt n height ar . Access t control equation The ai for flight nt.	usually etch of dings we observe mar no control the feer instand lay a control the feet insta	The level50X were made Bozi Dar re mainly rection, ked at the ol tow50X ield, allation talield was 50X was ad teletypons; nor 50X
	3. 4. 5.	Runway cons in the dire Military Ai toward the toward the time No flight of except for near Cesky I distance of by road from the airport brought in equipment () was there Af The airport Two unarmed	truction beg ction shown rport near M northwest. southwest. bstacles exicommunication Brod. The trapproximate m Milovice ar did not have 1946). There AA guns or ni had a waterw Arado planes	an in 1948. on the sketch ilovice Landings were Neither take sted within the sted was not as was no auxiliary to stee sted within the sted was not a was no auxiliary the sted works. Gaso sted were in us -end-	Before ch /See: re sometime-off not a five to the Lib tower wanth of the latky. equipment yet in tiliary eand rada: line and e on the	that time Enclosur mes made or approac to twenty lice radi s 250 m i e airport t; flight use quipment r equipmen oil were field.	landings e (A): Ske ie the lane in the lane in the was r There was r km radius co transmitt n height ar Access t control eq The ai for flight nt. stored in	usually etch of dings we osite di lavere mar no controf the feer instand lay a cothe feer the diagram operation operation barrels.	The level50X were made Bozi Dar re mainly rection, ked at the of tow50X ield, allation tailed was 50X was ad teletypons; nor 50X
	3. 4. 5.	Runway cons in the dire Military Ai toward the toward the toward the time No flight of except for near Cesky I distance of by road from The airport brought in equipment (I was there Af The airport Two unarmed ENCLOSURE (A	truction beg ction shown rport near M northwest. southwest. betacles exicommunication Brod. The trapproximate m Milovice ar did not have 1946). There AA guns or ni had a waterw Arado planes	an in 1948. on the sketch ilovice Landings were Neither take sted within the sted was not as was no aux light flight works. Gaso were in us -end of Bozi Dar 1	Before ch /See: re sometime-off not a five to the Lib tower wanth of the latky. equipment yet in the lib arthy eand rada: line and e on the	that time Enclosur mes made or approac to twenty lice radi s 250 m i e airport t; flight use quipment r equipmen oil were field. Ariport n	landings e (A): Ske ie the lane in the lane in the was r There was r km radius co transmitt n height ar Access t control eq The ai for flight nt. stored in	usually etch of dings we osite di lavere mar no controf the feer instand lay a cothe feer the diagram operation operation barrels.	The level50X were made Bozi Dar re mainly rection, ked at the of tow50X ield, allation tailed was 50X was ad teletypons; nor 50X
	3. 4. 5.	Runway cons in the dire Military Ai toward the toward the toward the time No flight of except for near Cesky I distance of by road from The airport brought in equipment (I was there Af The airport Two unarmed ENCLOSURE (A	truction beg ction shown rport near M northwest. southwest. betacles exicommunication Brod. The trapproximate m Milovice ar did not have 1946). There AA guns or ni had a waterw Arado planes	an in 1948. on the sketch ilovice Landings were Neither take sted within the sted was not as was no auxiliary to stee sted within the sted was not a was no auxiliary the sted works. Gaso sted were in us -end-	Before ch /See: re sometime-off not a five to the Lib tower wanth of the latky. equipment yet in the lib arthy eand rada: line and e on the	that time Enclosur mes made or approac to twenty lice radi s 250 m i e airport t; flight use quipment r equipmen oil were field. Ariport n	landings e (A): Ske ie the lane in the lane in the was r There was r km radius co transmitt n height ar Access t control eq The ai for flight nt. stored in	usually etch of dings we osite di lavere mar no controf the feer instand lay a cothe feer the diagram operation operation barrels.	The level50X were made Bozi Dar re mainly rection, ked at the of tow50X ield, allation tailed was 50X was ad teletypons; nor 50X
	3. 4. 5.	Runway cons in the dire Military Ai toward the toward the toward the time No flight of except for near Cesky I distance of by road from The airport brought in equipment (I was there Af The airport Two unarmed ENCLOSURE (A	truction beg ction shown rport near M northwest. southwest. betacles exicommunication Brod. The trapproximate m Milovice ar did not have 1946). There AA guns or ni had a waterw Arado planes	an in 1948. on the sketch ilovice Landings were Neither take sted within the sted was not as was no aux light flight works. Gaso were in us -end of Bozi Dar 1	Before ch /See: re sometime-off not a five to the Lib tower wanth of the latky. equipment yet in the lib arthy eand rada: line and e on the	that time Enclosur mes made or approac to twenty lice radi s 250 m i e airport t; flight use quipment r equipmen oil were field. Ariport n	landings e (A): Ske ie the lane in the lane in the was r There was r km radius co transmitt n height ar Access t control eq The ai for flight nt. stored in	usually etch of dings we osite di lavere mar no controf the feer instand lay a cothe feer the diagram operation operation barrels.	The level50X were made Bozi Dar re mainly rection, ked at the ol tow50X ield, allation ta ield was 50X was ad teletypons; nor 50X1
	3. 4. 5.	Runway cons in the dire Military Ai toward the toward the toward the time No flight of except for near Cesky I distance of by road from The airport brought in equipment (I was there Af The airport Two unarmed ENCLOSURE (A	truction beg ction shown rport near M northwest. southwest. betacles exicommunication Brod. The trapproximate m Milovice ar did not have 1946). There AA guns or ni had a waterw Arado planes	an in 1948. on the sketch ilovice Landings were Neither take sted within the sted was not as was no aux light flight works. Gaso were in us -end of Bozi Dar 1	Before ch /See: re sometime-off not a five to the Lib tower wanth of the latky. equipment yet in the lib arthy eand rada: line and e on the	that time Enclosur mes made or approac to twenty lice radi s 250 m i e airport t; flight use quipment r equipmen oil were field. Ariport n	landings e (A): Ske ie the lane in the lane in the was r There was r km radius co transmitt n height ar Access t control eq The ai for flight nt. stored in	usually etch of dings we osite di lavere mar no controf the feer instand lay a cothe feer the diagram operation operation barrels.	The level50X were made Bozi Dar re mainly rection, ked at the ol tow50X ield, allation ta ield was 50X was ad teletypons; nor 50X1
	3. 4. 5.	Runway cons in the dire Military Ai toward the toward the toward the time No flight of except for mear Cesky I distance of by road from The airport brought in equipment (I was there Af The airport Two unarmed ENCLOSURE (A	truction beg ction shown rport near M northwest. southwest. betacles exicommunication Brod. The trapproximate m Milovice ar did not have 1946). There AA guns or ni had a waterw Arado planes	an in 1948. an in 1948. on the sketch ilovice Landings were Neither take sted within as lines and ransmitting ly 20 km sound of Stare Ben e broadcast but was not e was no aux light flight works. Gaso s were in us -end of Bozi Dar I	Before the See: re sometime of no a five the Lib tower wanth of the latky. equipment yet in a siliary eand rada: line and e on the Military of Bozi I	that time Enclosur mes made or approac to twenty lice radi s 250 m i e airport t; flight use quipment r equipmen oil were field. Ariport n Oar Airfie	landings e (A): Ske ie the lane in the lane in the was r There was r km radius co transmitt n height ar Access t control eq The ai for flight nt. stored in	usually etch of dings we osite di lavere mar no controf the feer instand lay a cothe feer the diagram operation operation barrels.	were made Bozi Dar re mainly rection, ked at the ol tow50X ield, allation t a ield was 50X was ad teletyp ons; nor 50X
<u>S7</u>	3. 4. 5.	Runway cons in the dire Military Ai toward the toward the toward the time No flight of except for mear Cesky I distance of by road from The airport brought in equipment (I was there Af The airport Two unarmed ENCLOSURE (A	truction beg ction shown rport near M northwest. southwest. betacles exicommunication Brod. The trapproximate m Milovice ar did not have 1946). There AA guns or ni had a waterw Arado planes are Sketch of Sketch of Sketch of Sketch of the AA guns or ni had a waterw are selected as a sketch of Sketch of Sketch of Sketch of Sketch of the AA guns or ni had a waterw are selected as Sketch of Sketch	an in 1948. an in 1948. on the sketch ilovice Landings were Neither take sted within as lines and ransmitting ly 20 km sound of Stare Ben e broadcast but was not e was no aux light flight works. Gaso s were in us -end of Bozi Dar I	Before Before ch /See: re someti ce-off no a five the Lib tower wa th of the atky. equipmen yet in cliary ea and rada: line and e on the Military of Bozi I	that time Enclosur mes made or approac to twenty lice radi s 250 m i e airport t; flight use quipment r equipmen oil were field. Ariport n Oar Airfie	landings e (A): Ske ie the lane in the lane in the was r There was r km radius co transmitt n height ar Access t control eq The ai for flight nt. stored in	usually etch of dings we osite di lavere mar no controf the feer instand lay a cothe feer the diagram operation operation barrels.	The level50X were made Bozi Dar re mainly rection, ked at the ol tow50X ield, allation ta ield was 50X was ad teletypons; nor 50X 50X1

50X1

ENCLOSURE (A)

LEGEND

- State highway, Milovice Stare Benatky, approximately nine m wide, made of asphalt 2. Field road between the airport and the forest, three m wide; this road leads to the village of Straky.
- 2a. Field road to the village of Vapensko
- 3. Buildings of the Army Farm, 300 x 150 m area; these buildings served for dwellings, stables and sheds. On the side toward the airport the farm was enclosed by a fence.
- Hangars, steel and wood construction with tar paper roofs, each building was 50 x 50 x
- Military unit command for the airport. A two-story building, 50 x 12 m, tile roof Guards' room, a one-story brick house, 10 x 15 m with a tile roof 6.
- Soldiers' quarters, six one-story brick barracks, 50 x 12 m with tile roofs
- Apartments for the officers, a two-story brick building, 20 x 36 m with a tile roof
- 9. Brick house used for fuel storage, one-story, 15 x 30 m with a tile roof 10. Garages and small workshops in the same house as that listed as point No 9
- The edge of the airport was not enclosed by a fence but was marked with red and white50X1 signs.
- Forest. admission to the forest was forbidden, due to mine fields laid by the Germans




ENCLOSURE (B)

SECRET/SECURITY INFORMATION

SKETCH OF LOCATION OF BOZI DAR AIRFIELD

50X1





SECRET/SECURITY INFORMATION